-CI	Nur	nber:		201510	28000			PCN	Dat	e:	2/4/2016
Title	:	Datash	eet for	- TPS652	18, TPS	65218B101					
Cust	ome	er Conta	act:	PCN Mana	iger		D	ept:		Qual	ity Services
Char	nge	Type:									
	Asse	embly Si	ite			Design		Wa	fer E	Bump	o Site
	Asse	embly Pr	rocess			Data Sheet		Wa	fer E	Bump	o Material
		embly M				Part number change					o Process
		hanical S	-			Test Site				ab S	
	Pack	king/Shi	pping/	Labeling		Test Process					1aterials
								Wa	fer F	Fab F	rocess
	_				No	otification Details					
		ion of (ouncing an information					
he p	orod	uct data	isheet((s) is bein	ig upda	ated as summarized belo	ow.				
_		-	-	istory pro	vides f	further details.					
-i	Ţe	XAS STRUMEN									TPS65218
	IN	STRUMEN	NTS			SLDS206	B-NOVEN	IBER 201	4-REVI	SED FE	BRUARY 2016
_						-					
Cha	ndec	from Revie	sion A (Sentember 2	015) to B	evision B					Page
	-			September 2							Page
• ı	Jpdat	ed descripti	ion for P	GOOD to cla	rify that th	ne output can be configured as o					
• ı	Jpdat	ed descripti	ion for P	GOOD to cla	rify that th						
• ı	Jpdat	ed descripti	ion for P	GOOD to cla	rify that th	ne output can be configured as o					
• t • 4	Jpdat Added	ed descripti ∣V _{IN_LS3} cor	ion for P(GOOD to cla	rify that th ad Switch	ne output can be configured as op n 3 and updated the values					
・し ・ A Char	Jpdate Added	ed descripti I V _{IN_LS3} cor from Origi	ion for Penditions te	GOOD to cla o I _{LIMIT} for Lo vember 2014	rify that th ad Switch) to Revi	ne output can be configured as op a 3 and updated the values					
• U • # Chai	Jpdate Added nges	ed descripti V _{IN_LS3} cor from Origi	ion for P(nditions t inal (Nov	GOOD to clai o I _{LIMIT} for Lo vember 2014	rify that tr ad Switch) to Revis	ne output can be configured as on a 3 and updated the values					
• L • /	Jpdati Added nges Added	ed descripti V _{IN_LS3} cor from Origi part numb sed VIN rai	ion for P(nditions t inal (Nov per TPS6	GOOD to clar o I _{LIMIT} for Lo vember 2014 5218B101 ow voltage los	rify that th ad Switch) to Rev is	e output can be configured as on a 3 and updated the values sion A with 350-mA current limit					
• U • # Char • # • #	Jpdate Added nges Added ncrea	ed descripti I V _{IN_LS3} cor from Origi I part numb sed VIN rai I T _{stg} to the	ion for P nditions t inal (Nov per TPS6 nge for lo	GOOD to clai o I _{LIMIT} for Lo vember 2014 5218B101 ow voltage loa e Maximum F	rify that th ad Switch) to Revised ad switch Ratings ta	ne output can be configured as on a 3 and updated the values	ys table to	o an ES	D Rati	ings ta	Page
Chai Chai A	Jpdate Added nges Added ncrea Moveo Added	ed descripti V_{IN_LS3} cor from Origi part numb sed VIN rai I T _{stg} to the device part test condition	ion for P nditions t inal (Nov per TPS6 nge for lo <i>Absolute</i> rt numbe tions and	GOOD to clai o I _{LIMIT} for Lo vember 2014 5218B101 ow voltage loa e Maximum F r to Thermal I values for V	rify that th ad Switch) to Revis ad switch Ratings ta Informatio	ne output can be configured as op a 3 and updated the values sion A with 350-mA current limit ble and updated <i>Handling Rating</i> on table	ys table to) an ES	D Rati	ings ta	Page
Chai Chai A	Jpdate Added nges Added ncrea Moveo Added	ed descripti V_{IN_LS3} cor from Origi part numb sed VIN rai I T _{stg} to the device part test condition	ion for P nditions t inal (Nov per TPS6 nge for lo <i>Absolute</i> rt numbe tions and	GOOD to clai o I _{LIMIT} for Lo vember 2014 5218B101 ow voltage loa e Maximum F r to Thermal I values for V	rify that th ad Switch) to Revis ad switch Ratings ta Informatio	ne output can be configured as op a 3 and updated the values sion A with 350-mA current limit ble and updated <i>Handling Rating</i> on table	ys table to) an ES	D Rati	ings ta	Page
Char Char A	Jpdate Added nges Added ncrea Moveo Added Added Chang	ed descripti $ V_{IN_LS3} \text{ cor}$ from Origi part numb sed VIN rai T_{stg} to the device part test condition rest cordition	ion for P nditions t inal (Nov per TPS6 nge for lo Absolute rt number tions and nditions fo	GOOD to clar o I _{LIMIT} for Lo vember 2014 5218B101 ow voltage los <i>e Maximum F</i> r to <i>Thermal</i> I values for V or input voltage	to Revised to Revised	ne output can be configured as op a 3 and updated the values sion A with 350-mA current limit ble and updated <i>Handling Rating</i> on table	ys table to _{IAS} > V _{UVL}	o an ES	D Rati	ings ta	Page Page 1 1 1 1 1 1 1 1 1
Chai Chai A A A A A A A A A A A A A A	Added Added Added Added Added Added Chang Jpdat	ed descripti V _{IN_LS3} cor from Origi part numb sed VIN rai T _{stg} to the device par test condit led test cor ed values fi	ion for P nditions to inal (Nov per TPS6 nge for lo e Absolute rt number tions and nditions fo for DCDC	GOOD to clar o I _{LIMIT} for Lo vember 2014 5218B101 ow voltage los e <i>Maximum F</i> r to <i>Thermal</i> I values for V or input volta i1-4 V _{OUT} falli	ify that the ad Switch to Revised ad switch ad switch Ratings tal Information ge ranges ing and rise	sion A with 350-mA current limit ble and updated <i>Handling Rating</i> on table s from "V _{IN_BIAS} > 2.7 V" to "V _{IN_BI}	gs table to n _{AS} > V _{UVL}	o an <i>ES</i>	D Rat	ings ta	Page
Chail Chail A	Added Added Added Added Added Added Chang Jpdate	ed descripti I V _{IN_LS3} cor from Origi I part numb sed VIN rai I T _{stg} to the device par test condit ed test cor ed values fi more test	ion for P nditions t inal (Nov per TPS6 nge for lo Absolute rt number tions and nditions fo cor DCDC condition	GOOD to clar o I _{LIMIT} for Lo vember 2014 5218B101 ow voltage loa e <i>Maximum F</i> r to <i>Thermal</i> I values for V or input voltage 1-4 V _{OUT} falli is and values	ify that the ad Switch ad Switch) to Revise ad switch Ratings tai Information ge ranges ing and rises for V _{IN_D}	the output can be configured as on a 3 and updated the values sion A with 350-mA current limit ble and updated <i>Handling Rating</i> on table eresis s from " $V_{IN_{BIAS}} > 2.7 V$ " to " $V_{IN_{BIAS}}$ sing	ys table to ⊪AS > V _{UVL}	o an <i>ES</i>	D Rati	ings ta	3 13 Page 1
Chail Chail A	nges Added Added Added Added Added Chang Jpdat	ed descripti $ V_{IN_LS3} $ cor from Origi part numb sed VIN rai $ T_{stg} $ to the device part test condition test condition device part test condition device part device part test condition device part device par	ion for P inditions t inal (Nov per TPS6 nge for lo Absolute rt number tions and nditions fo condition est condition	GOOD to clar o I _{LIMIT} for Lo rember 2014 5218B101 ow voltage loa e Maximum F r to Thermal I values for V or input volta 1-4 V _{OUT} falli as and values itions and val	to Revised Switch to Revised Switch to Revised Switch ad switch Ratings tal Information UVLO hyste ge ranges ing and rises for VIN_D lues and a	a output can be configured as on a 3 and updated the values sion A with 350-mA current limit ble and updated <i>Handling Rating</i> on table eresis s from "V _{IN_BIAS} > 2.7 V" to "V _{IN_BI} sing	ys table to _{AS} > V _{UVL} ification f	o an <i>ES</i> o"	D Rati	ings ta	3 13 Page 1 1 able 5 6 7 8 9 9 9
Chail Chail Chail A	nges Added Added Added Added Added Chang Jpdat Added	ed descripti $ V_{IN_LS3} \text{ cor}$ from Origi part numb sed VIN rai T_{stg} to the device part test conditi red test cor ed values for more test ed V _{DCDC4} to ed test cor	ion for P inal (Nov per TPS6 nge for lo Absolute rt number tions and nditions fo condition est condi ditions and	GOOD to clar o I _{LIMIT} for Lo vember 2014 5218B101 ow voltage loa <i>e Maximum F</i> r to <i>Thermal</i> Values for V or input voltage (1-4 V _{OUT} falli as and values itions and values nd added new	to Revised Switch to Revised Switch ad switch	the output can be configured as operations of a stand updated the values set of the	ys table to nAS > V _{UVL} ification f	o" or PFM	D Rati	ings ta	Page Page Page 1 1 ble 5 6 7 7 8 9 9 10
Chain Chain Chain A	nges Added Added Added Added Chang Updat Added Updat	ed descripti I VIN_LS3 COT from Origi I part numb sed VIN rai I T _{stg} to the I device part I test conditi red test corr ed values for I more test ed V _{DCDC4} to ed test corr ed V _{DCDC4} to ed test corr ed V _{N_LS1} n	ion for P inal (Nov per TPS6 nge for lo Absolute rt number tions and nditions fo or DCDC conditions ditions an ditions an max value	GOOD to clar o I _{LIMIT} for Lo vember 2014 5218B101 ow voltage los <i>e Maximum F</i> r to <i>Thermal</i> I values for V or input volta (1-4 V _{OUT} falli as and values itions and values itions and values e and added nev e and added	to Revised Switch to Revised Switch ad switch ad switch ad switch Ratings tal Informatio ge ranges ing and rises for V _{IN_D} lues and a w values 1 additional	the output can be configured as on a 3 and updated the values sion A with 350-mA current limit ble and updated <i>Handling Rating</i> on table eresis as from "V _{IN_BIAS} > 2.7 V" to "V _{IN_BI} sing cpc4 added output voltage ripple speci for V _{DCDC5} , V _{DCDC6} DC accuracy	ys table to _{IAS} > V _{UVL} ification f	o" or PFM	D Rati	ings ta	Page Page Page 1 1 1 1 1 1 1 1 1
Chail Chail Chail A	nges Added Added Added Added Added Added Added Added Jpdat Jpdat Jpdat	ed descripti IVIN_LS3 COT from Origi I part numb sed VIN ran I T _{stg} to the I device par I test condit red test condit red values for more test ed V _{DCDC4} to ed V _{DCDC4} to ed V _{IN_LS1} for i note for t _H	ion for P inal (Nov per TPS6 nge for lo Absolute tions and nditions fo or DCDC condition cest condi ditions an ditions an max value	GOOD to clai o I _{LIMIT} for Lo vember 2014 5218B101 ow voltage los e <i>Maximum F</i> r to <i>Thermal</i> I values for V or input volta it -4 V _{OUT} falli as and values itions and values itions and values	ify that the ad Switch ad Switch ad switch ad switch Ratings tal Information uvLo hysto ge ranges ing and ris for V _{IN_D} lues and a w values f additional	the output can be configured as op a 3 and updated the values sion A with 350-mA current limit ble and updated Handling Rating on table eresis	rs table to IAS > VUVL ification f	o an <i>ES</i> o"	D Rati	ings ta	Page 13 Page 1<
Chai	nges Added Added Added Added Added Chang Jpdat Added Jpdat Jpdat Jpdat	ed descripti $ V_{IN_LS3} $ cor from Origin part numb sed VIN raid $ T_{stg} $ to the device part test condition test condition ed test cordinate ed V_{IN_LS1} n in onte for t _H ed l^2C Bus	ion for P inditions t inal (Nov per TPS6 nge for lo <i>Absolute</i> rt number tions and nditions fo or DCDC condition dest condi ditions an max value <i>Operatio</i>	GOOD to clar o I _{LIMIT} for Lo rember 2014 5218B101 ow voltage loa <i>e Maximum F</i> r to <i>Thermal</i> l values for V or input voltage 1-4 V _{OUT} falli as and values itions and values itions and values and added neve e and added) to Revised Switch) to Revised Switch ad switch ad switch Ratings tal Information UVLO hyster ge ranges ing and rises for V _{IN_D} lues and a w values for additional	the output can be configured as op a 3 and updated the values sion A with 350-mA current limit ble and updated <i>Handling Rating</i> on table eresis s from "V _{IN_BIAS} > 2.7 V" to "V _{IN_BI} sing cDC4 added output voltage ripple speci for V _{DCDC5} , V _{DCDC6} DC accuracy I test condition for R _{DS(ON)}	as table to AS > VuvL	o an ES	D Rati	ings ta	3 13 Page 1 1 able 5 6 7 8 9 9 10 12 15 39
Chai	nges Added Added Added Added Added Chang Jpdat Added Jpdat Jpdat Added	ed descripti $ V_{IN_LS3} \text{ cor}$ from Origi part numb sed VIN raid $ T_{stg}$ to the device part test condition ed test corried values for ed values for ed values for ed values for ed values for ed values for ed values for inote for t _H ed l ² C Bus i note to Ap	ion for P inditions to inal (Nov per TPS6 nge for lo <i>Absolute</i> rt number tions and nditions for or DCDC condition ditions and ditions and max value operation operation	GOOD to clar o I _{LIMIT} for Lo vember 2014 5218B101 ow voltage loa <i>e Maximum F</i> r to <i>Thermal</i> Values for V or input voltage (1-4 V _{OUT} falli ins and values itions and values e and added new e and added and Implement	to Revised Switch to Revised Switch ad switch ad switch ad switch ad switch ad switch ad switch autor state ge ranges ing and rises for V _{IN_D} lues and a w values f additional a note entation	the output can be configured as operations of a stand updated the values set of the	ys table to nAS > V∪VL	o"	D Rati	ings ta	3 13 Page 1
Chain C	nges Added Added Added Added Added Chang Jpdat Added Jpdat Added Jpdat Added Added	ed descripti $ V_{IN_LS3}$ cor from Origi part numb sed VIN raid $ T_{stg}$ to the device part test condition ed values for ed values for i more test ed V_{DCDC4} to ed test con- ed V_{IN_LS1} no note for t _H ed l ² C Bus i note to Ap Communiti	ion for P inal (Nov per TPS6 nge for lo <i>Absolute</i> rt number tions and nditions for condition ditions and ditions and ditions and max value ngh	GOOD to clar o I _{LIMIT} for Lo rember 2014 5218B101 ow voltage loa <i>e Maximum F</i> r to <i>Thermal</i> Values for V or input voltage tions and values itions and values and added new <i>e</i> and added <i>and Impleme</i> <i>rces</i>	rify that the ad Switch ad Switch ad switch ad switch Ratings ta Information ge ranges ing and rises for V_{IN_D} lues and a w values the additional a note entation	the output can be configured as on a 3 and updated the values	ys table to nAS > V∪VL	o"	D Rati	ings ta	3 13 Page 1
Chain C	nges Added Added Added Added Chang Jpdat Added Jpdat Added Jpdat Added Jpdat Added	ed descripti $ V_{IN_LS3}$ cor from Origi part numb sed VIN rai 1 T _{stg} to the 1 device part 1 test conditi red test cor- ed values for 1 more test ed V _{DCDC4} to red test cor- ed V _{DCDC4} to red test cor- ed V _{IN_LS1} no 1 note for t _H ed l ² C Bus 1 note to Ap 1 Communiti	ion for P inal (Nov per TPS6 nge for lo <i>Absolute</i> rt number tions and nditions for condition ditions and ditions and ditions and max value ngh	GOOD to clar o I _{LIMIT} for Lo vember 2014 5218B101 ow voltage loa <i>e Maximum F</i> r to <i>Thermal</i> Values for V or input voltage (1-4 V _{OUT} falli ins and values itions and values e and added new e and added and Implement	rify that the ad Switch ad Switch ad switch ad switch Ratings ta Information ge ranges ing and rises for V_{IN_D} lues and a w values the additional a note entation	the output can be configured as op a 3 and updated the values	ys table to nAS > V∪VL	o"	D Rati	ings ta	Page Page Page 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Chai Chai	nges Added Added ncrea Movec Added Added Chang Updat Updat Updat Updat Added Updat Added Chang Chang Updat Added Chang Updat Added Chang C	ed descripti $ V_{IN_LS3}$ cor from Origi part numb sed VIN raid $ T_{stg}$ to the device part test condition ed values for ed values for i more test ed V_{DCDC4} to ed test con- ed V_{IN_LS1} no note for t _H ed l ² C Bus i note to Ap Communiti	ion for P inal (Nov per TPS6 nge for lo Absolute tions and nditions for conditions for conditions and ditions and ditions and ditions and ditions and ditions and polication ty Resou	GOOD to claid o ILIMIT for LO vember 2014 5218B101 ow voltage loa e Maximum F r to Thermal I values for V or input volta- itions and values itions and values itions and values and added new e and added and Implement roces will be ch	rify that the ad Switch ad Switch ad switch ad switch Ratings ta Information ge ranges ing and rises for V_{IN_D} lues and a w values the additional a note entation	the output can be configured as on a 3 and updated the values	ys table to nAS > V∪VL	o"	D Rati	ings ta	Page 13 Page 1 1 able 5 6 7 8 9 9 10 12 15 39 72

These changes may be reviewed at the datasheet links provided. <u>http://www.ti.com/product/TPS65218</u>

Reason for Change:										
To more accurately reflect device characteristics.										
Anticipated impact on Fit, Form, Function, Quality or Reliability (positive / negative):										
No anticipated impact. This is a specification change announcement only. There are no changes to the actual device.										
Changes to product identification resulting from this PCN:										
None.										
Product Affected:										
TPS65218B101PHPR	TPS65218B101PHPT	TPS65218B1PHPR	TPS65218B1PHPT							
TPS65218B1RSLR	TPS65218B1RSLT									

For questions regarding this notice, e-mails can be sent to the regional contacts shown below or your local Field Sales Representative.

Location	E-Mail
USA	PCNAmericasContact@list.ti.com
Europe	PCNEuropeContact@list.ti.com
Asia Pacific	PCNAsiaContact@list.ti.com
Japan	PCNJapanContact@list.ti.com