
THIS DOCUMENT CONTAINS DATA PROPRIETARY TO PROJECTS UNLIMITED, INC. ANY USE OR REPRODUCTION, IN ANY FORM, MITHOUT PRIOR WRITTEN PERMISSION OF PROJECTS UNLIMITED, INC. IS PROHIBITED.


© 2005, Projects Unlimited Inc.

SPECIFICATIONS

	REVISIONS		
LTR	DESCRIPTION	DATE	APPROVED
_	RELEASED FROM ENGINEERING	6/24/13	

PARAMETERS	VALUES	UNITS	
RATED INPUT POWER	.02	W	
MAX INPUT POWER	.03	W	
IMPEDANCE	32±15%	ОНМ	
OUTPUT SPL @ 1.0 kHz, 1cm, 1mW	115±3	dBA	
DISTORTION (MAX.)	5%	_	
FREQUENCY RANGE	60 ~ 10,000	Hz	
HOUSING MATERIAL	ABS	_	
CONE MATERIAL	MYLAR	-	
MAGNET MATERIAL	NdFeB	_	
OPERATING TEMPERATURE	−20 ~ +60	.c	
WEIGHT	5.8	grams	





NOTES:

- 1. ALL DIMENSIONS ARE IN MILLIMETERS.
- 2. SPECIFICATION SUBJECT TO CHANGE OR WITHDRAWAL WITHOUT NOTICE.
- 3. THIS PART IS RoHS 2011/65/EU COMPLIANT.

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN
MILLIMETERS, TOLERANCES ARE ±0.5 AND
ANGLES ARE ±3".

FILE NAME

APPROVALS DATE DRAWN J.D. 3/12 SIZE CHECKED M.L.

3541 Stop Eight Road Dayton, Ohio 45414

DRAWING NO.
ARO3032MR-R ARO3032MR-R.DWG APPROVED B.R. SCALE: N.T.S. 4/12 SHEET 1 OF