NALOG Product/Process Change Notice - PCN 20_0148 Rev. -

Analog Devices, Inc. Three Technology Way Norwood, Massachusetts 02062-9106

This notice is to inform you of a change that will be made to certain ADI products (see Appendix A) that you may have purchased in the last 2 years. Any inquiries or requests with this PCN (additional data or samples) must be sent to ADI within 30 days of publication date. ADI contact information is listed below.

PCN Title:HMC788A-EP Die RevisionPublication Date:18-Mar-2020Effectivity Date:20-Jun-2020 (the earliest date that a customer could expect to receive changed material)

Revision Description: Initial Release.

Description Of Change:

Die Changes:

- 1. Elimination of vias by changing Metal 3 interconnect to Metal 2 on the original MMIC layout.
- 2. Increase some metal widths to meet current handling requirements.

Reason For Change:

To optimize/improve Via robustness to address process package interaction.

Impact of the change (positive or negative) on fit, form, function & reliability:

No change to fit, form, function & reliability.

Summary of Supporting Information:

Qualification has been performed per Industry Standard Test Methods. See attached Qualification Results Summary.

Supporting Documents

Attachment 1: Type: Qualification Results Summary

ADI_PCN_20_0148_Rev_-_Qualification Results Summary_HMC788A Die revision at AEK.pdf

For questions on this PC	For questions on this PCN, please send an email to the regional contacts below or contact your local ADI sales representatives.						
Americas:	Europe:	Japan:	Rest of Asia:				
PCN_Americas@analog.com	PCN_Europe@analog.com	PCN_Japan@analog.com	PCN_ROA@analog.com				

Appendix A - Affected ADI Models				
Added Parts On This Revision - Product Family / Model Number (2)				
HMC788A/HMC788ACPSZ-EP-PT	HMC788A/HMC788ACPSZ-EP-R7			

Appendix B - Revision History					
Rev	Publish Date	Effectivity Date	Rev Description		
Rev	18-Mar-2020	20-Jun-2020	Initial Release.		

Analog Devices, Inc.

Docld:8106 Parent Docld:None Layout Rev:7